

Europäisches Patentamt European Patent Office Office europäen des brevets



Publication number:

0 347 110 B1

@

EUROPEAN PATENT SPECIFICATION

- © Date of publication of patent specification: 10.06.95 ① Int Cl.5. C11D 1/83, C11D 3/43, C11D 3/50
- Application number: 89305821.4
- @ Date of filing: 09-06-89
- Stable and homogeneous concentrated all purpose cleaner.
- (9) Priority: 13.06.88 US 205760
- Date of publication of application:
 20.12.89 Bulletin 89/51
- Publication of the grant of the patent: 10.05.95 Bulletin 95/19
- Designated Contracting States:
 AT BE CH DE ES FR GB GR IT LI LU NL SE
- 6 References cited:

EP-A- 0 109 022 FR-A- 2 189 505

US-A- 3 962 150

US-A- 4 285 841

EP-A- 0 243 685 GB-A- 2 190 681

GB-A- 2 190 681 US-A- 4 239 662 Proprietor. Colgate-Palmolive Company 300 Park Avenue New York, N.Y. 10022-7499 (US)

② Inventor: Loth, Myriam Rue de Tijleur 404 Saint-Nicolas (BÉ) Inventor: Lambremont, Yves

Avenue Sluysmans 47

Grivegnee (BE)

Inventor: Blanvalet, Claude

Rue Bossy 61 Angleur (BE)

Representative. Kearney, Kevin David Nicholas et al KILBURN & STRODE 30 John Street London, WC1N 2DD (GB)

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filled in a written reasoned statement. It shall not be deemed to have been filled until the opposition fee has peen paid (Art. 99(1) European patent convention).

Rank Xerox (LIK) Business Services

Description

Field of the invention

The present invention relates to the formulation of a stable, clear, concentrated all purpose liquid cleaning composition and containing more than 10% active ingredients, having improved shining properties, and degressing properties. The composition comprises a mixture of anionic and nonionic detergents, a foam control agent, a minimal level of a water miscible organic solvent compatible with the fragrance ingredient, and an aqueous vehicle, and is capable of peing diluted four times with tap water without a loss in stability while providing a satisfactory cleaning performance

Background of the Invention

All purpose liquid cleaning compositions for hard surfaces such as metal, glass, ceramic, plastic, and lineleum surfaces have met with commercial acceptance because they have the advantage that they can be applied to hard surfaces in neat (as is) or concentrated form so that a relatively high level of surfactant material is delivered directly to the soils. However, instability problems can occur when the concentrated products are diluted with tap water by the user. Another problem associated with the previously available concentrated formulations (more than 10% active ingredients) is that a high level of solubilizers (solvents) is generally required in order to obtain a clear and stable composition over a wide range of temperatures.

This invention provides an all purpose liquid cleaning composition in concentrated form which retains its stability upon dilution with water, and provides superior cleaning performance of the ready to use product both in near and dilute usages. The good cleaning performance is optained without the need of builders. Consequently, the shining properties are significantly improved over built all purpose cleaning compositions.

The concentrated products of present invention offer a further advantage in terms of cost savings for packaging, storage and transportation

The prior art is replete with liquid all purpose hard surface cleaning compositions which are generally classified in two types. The first type is a particulate aqueous suspension having water-insoluble abrasive particles suspended therein, which particles are palpable. Some of the cleaners of this type suffer a stability problem and consumers may object to their "gritty" feel, the potential for scratching surfaces and the need for extensive rinsing to remove abrasive deposits. The second type is the liquid detergent without suspended abrasive and, seemingly, this latter type is preferred by consumers. While this second type generally is a mixture of surfactant and builder salt in an aqueous medium, the product formulations in the market place have varied widely in composition.

The presence of builder salts as an essential ingredient in all purpose hard surface cleaning compositions to improve the cleaning action of the organic surface active agents, commonly used in an aqueous cleaning composition, i.e. anionic and nonionic surfactants, and to maintain an alkaline pH range, is disclosed in U.S. Patents 4,576,738 and 4,597,887, and in European Patent applications 0165885 and 0080749 and in UK Patent Application 2186153A.

The prior art also discloses cleaning compositions containing a high boiling temperature, water-misciple organic solvent such as propylene glycol or ethylene glycol - monobutyl ether as disclosed in GB patent 2.168.153A. The prior art discloses a binary solvent system of Pinane and an ethylene glycol - or propylene glycol - monoethyl or monobutyl ether as disclosed in U.S. Patents 4,576,738 and 4,597,887, a qual solvent system of dipropylene glycol methyl ether and mineral spirits as disclosed in U.S. patent 4,673,524; and a propylene glycol monomethyl ether and/or dipropylene glycol monomethyl ether as a penetrant to penetrate road film as disclosed in U.S. Patent 4,670,171.

Also disclosed in the prior art is the preparation of a concentrated all-purpose cleaning composition which is diluted with tap water approximately four times prior to usage or storage by the consumer, as disclosed in European Patent 0165885.

US-A-4285841 discloses a laundry composition which has a ternary composition consisting of anionic sulphonates and sulphates, ethoxylated nonionic surface active agents and 8 to 20% of tarty acid having 10 to 22 carbon atoms, and teaches that at least 8% of the fatty acid must be used.

EP-A-0243685 discloses faundry or dishwashing compositions containing 30 to 60% anionic and 5 to 40% nonionic surfactants and does not teach the use of fatty acids.

EP-A-0109022 discloses laundry or dishwashing compositions containing mixtures of anionic and nonionic surfactants in amounts greater than 60%. There is no teaching of the use of small amounts of farty acids.

FR-A-2189505 disclose a laundry composition containing 25 to 75% of nonionic surfactant and 5 to 25% of anionic surfactant. There is no disclosure of the use of a small amount of fatty acid.

However, none of the above-mentioned patents disclose a stable, clear, homogeneous concentrated all purpose unbuilt liquid cleaning composition containing more than 10% active ingredients and comprising a mixture of anionic and nonionic detergents, a foam control agent, and a water miscible organic solvent selected from the group consisting of C1-C4 alkyl ethers of ethylene glycol or diethylene glycol or mono-. di- or tripropylene glycol compatible with the tragrance ingredient, in an aqueous vehicle, capable of being diluted about four times with tap water without any loss in stability, clarity and homogeneity.

10 Summary of the Invention

20-Jul-04 11:45

It has now been found that a stable, clear, homogeneous concentrated liquid all purpose cleaning composition having improved cleaning and shining properties can be prepared in the absence of a builder salt comprising as the essential ingredients. 14-28% by weight of a dual surfactant system of a mixture of 15 anionic and nonionic surfactants preferably in a weight ratio in the range of 1.25:1 to 1.33:1, a fatty acid foam control agent and 5-15% of a water soluble (misciple) organic solvent selected from the group consisting of an ethylene or propylene glycol ether derivative compatible with the tragrance ingredient, in an aqueous medium. The cleaning performances of the ready to use product, both in next and diluted usages. are particularly effective in the removal of grease and oily soil and leaves a shining clean surface. These 20 products are effective at varying water hardness levels, have desirable toaming characteristics and leave substantially no spots or streaks either with or without rinsing. Furthermore, the resultant product is clean and homogeneous and stable at temperatures over a wide range, about 5°C-49°C. Optionally, the multivalent magnesium cation, which is normally found in hard tap water, can be added to improve cleaning performances in soft water areas

Accordingly, the primary object of the invention is to provide a clear concentrated all purpose liquid cleaning composition which is stable over a wide range of temperatures and contains minimal levels of a water soluble organic solvent selected from the group consisting of an ethylene or propylene glycol ether derivative compatible with the fragrance ingredient.

Another object of this invention is to provide a clear, homogeneous and stable concentrated all purpose 30 liquid cleaning composition containing 14-28% by weight of a dual surfactant system of a mixture of anionic and nonionic surfactants.

Another object of this invention is to provide a clear and stable concentrate of an all purpose liquid cleaning composition capable of being diluted four-fold with hard or soft tap water, to produce a clear stable ailuted liquid cleaning composition.

Another object of this invention is to provide an all purpose liquid cleaning composition having improved cleaning and shining properties both as a neat and diluted product.

Still another object of this invention is to provide an all purpose liquid cleaning composition free of builder salts, having improved cleaning and shining properties

Additional objects, advantages and novel features of the invention will be set forth in part in the description which follows, and in part will become apparent to those skilled in the art upon examination of the following or may be learned by practice of the invention. The objects and advantages of the invention may be realised and attained by means of the instrumentalities and combinations particularly pointed out in the appended claims

To achieve the foregoing and other objects and in accordance with the present invention, so embodied and broadly described herein, the novel stable, clear and homogeneous concentrated liquid all purpose cleaning composition of this invention comprises by weight, 14-18% of a water soluble dual detergent system of a mixture of anionic and nonionic surfactants, and 5-15% of a water soluble polar organic solvent selected from the group consisting of an ethylene-, diethylene-, propylene-, or polypropylene glycol ether derivative, in an aqueous medium free of pullder salts, and having a pm of about 6-7.

More specifically, the present invention relates to a stable clear homogeneous concentrated tiquid all purpose hard surface cleaning composition tree of builder saits, comprising, by weight, 14-28% of a water soluble dual detergent system consisting essentially of a mixture of anionic and nonionic surfactants, there being 8-16% of the anionic surfactant and 6-12% of the nonionic surfactant and 5-15% of a water soluble, polar organic solvent selected from the group consisting of C1-C4 alkylethers of ethylene or diethylene glycols or mono-, di-, or tripropylene glycol, 0.5-2% of a farty acid foam control agent, and 1.8-5.5% of a fragrance compatible with the organic solvent in an aqueous medium, and having a pH of about 6-7.

The present novel concentrated liquid all purpose cleaning product, which is sultable to be sold in a pouch or similar packing, can readily be diluted with tap water by the consumer about four times by volume

EP 0 347 110 B1

before use. The products are stable in a wide range of temperatures, both "as is" (neat) or when diluted with soft or hard water, and can be used in neat or diluted form.

A preferred optional ingredient is a C_8 - C_{18} fatty acid as a foam control agent in an amount of 0.5-2% by weight of the composition.

The foam behaviour of the ready to use all purpose cleaning composition can be adapted to consumer requirements by properly selecting the nonionic surfactants, i.e., ethoxylated fatty alcohol, ethoxylated/propoxylated fatty alcohol or mixtures thereof.

Detailed Description of the Invention

The essential detergent active ingredients of the present all purpose liquid cleaning composition (APC) constitutes more than 10% active ingredients, and preferably 14-28% by weight of a dual surfactant system comprising at least one water soluble anionic surfactant and at least one water soluble nonionic surfactant, preferably in a weight ratio of 5:4. The combination of anionic and nonionic surfactants exhibit synergistic cleaning performance.

The anionic surfactants which may be used in the detergent composition of the invention include at least one surfactant selected from the group consisting of water soluble salts, particularly alkali metal salts, e.g., sodium or potassium salts of a C_8 - C_{18} alkyl sulfonate or parathn sulfonate or a C_8 - C_{16} alkyl benzene sulfonate such as dodecyl benzene sulfonate. The multivalent salts of anionic surfactants have a lower water solubility than the alkali metal salts and solubility decreases with increasing concentration of the bivalent ions. The calcium salt of paraffin sulfonate has very poor solubility compared to the magnesium salt. This poor solubility compromises cleaning performance. The preferred anionic surfactant is sodium paraffin sulfonate, preferably phosphate tree. The anionic surfactant constitutes about 8-16% of the concentrated all purpose cleaner.

The incorporation of minimal amounts of magnesium ions has been found to boost the cleaning power of the anionic detergent. The grease cutting ability of the various compositions is directly related to the Mg concentration; the higher the Mg concentration the better the degreasing. In the concentrated APC, paraffin sulfonate: Mg cations ratios may be reduced to less than 2:1 to allow for additional magnesium ion brought into the solution from hard water when the user dilutes the cleaner. All of the magnesium containing compositions are sensitive to phosphate contamination. Magnesium ions react with phosphate anion (more particularly pyrophosphate) yielding an insoluble precipitate of Mg phosphate. Most compositions with high paraffin sulfonate levels (16%) show a pracipitate due to the phosphate ions present as a by product in ordinary grades of paraffin sulfonate. For this reason, when higher levels of paraffin sulfonate are present, it is preferable to use phosphate free paraffin sulfonate in the concentrated composition containing magnesium salts. Such grades are commercially available from several major suppliers.

Accordingly, magnesium ions in the form of a water soluble magnesium salt, such as magnesium sulfate heptahydrate, which is commercially available, are an optional ingredient present in amount of 1.5-6% preferably 1.5 to 4% by weight. The boosting action of the magnesium ions is particularly useful in soft water areas. A stoichiometric ratio between paraffin sulfonate ions and magnesium ions in the compositions give satisfactory results in terms of cleaning performance and water solubility, however, it is not necessary to add magnesium ions because the performance objectives of the all purpose cleaning compositions can be obtained without the magnesium ion booster.

The nonionic detergents used in the cleaners according to the present invantion can be broadly described as water-soluble or water-dispersible compounds produced by the condensation of hydrophilic ethylene oxide groups, and/or propylene oxide groups, with an organic hydrophobic aliphatic or alkyl aromatic compound having a terminal hydroxy group. Such detergents are prepared readily by condensing the hydrophobic organic compound with ethylene oxide, and/or propylene oxide or with a polyglycoside. Further, the length of the polyethylenoxy chain can be adjusted to achieve the desired balance between the hydrophobic and hydrophilic elements.

The satisfactory nonionic detergents include the condensation products of a higher alkanol containing about 8 to 18 carbon atoms in a straight or branched-chain configuration condensed with about 2.5 to 30 moles of ethylene oxide. Preferred examples of these detergents are the condensates of C_8 - C_{11} alkanol with 2.5 moles of ethylene oxide or 5 moles ethylene oxide, and condensates of C_{12} - C_{15} alkanol with 7 moles of ethylene oxide and 4 moles of propylene oxide. The nonionic surfactant, preferably selected from the group consisting of ethoxylated fatty alcohol, ethoxylated/propoxylated fatty alcohol and an alkylipolyglycoside, constitutes 6-12% by weight of the composition.

The use of a mixture of sodium paraffin sulfonate and nonionic surfactants provides very good cleaning performance for removal of greasy soils, both when the product is used neat as well as when it is distilled.

with water.

The nonionic surfactant ingredient not only optimises the cleaning performance of the anionic surfactant, but also assists in adapting the foam behaviour of the ready to use all purpose cleaning formulation to consumer requirements. Foam behaviour is adjusted by using a mixture of medium and low foaming nonionics. One such suitable foam control mixture is an ethoxylated fatty alcohol such as C_8 - $C_{1,1}$ acohol ethoxy oxide 5-1, and an ethoxylated/propyoxylated fatty alcohol such as $C_{1,2}$ - $C_{1,5}$ alcohol ethoxy oxide 7-1 propoxy oxide 4-1 in a 2-1 weight ratio.

The primary foam control agent is a fatty acid containing 12-18 carbon atoms or a mixture of such fatty acids, such as ecconut oil fatty acids, in an amount of 0.5-2% by weight of the composition. The use of 0.5% fatty acid provides a foam control similar to regular AJAX APC, a commercial product on the market, in hard and medium water hardness areas (respectively 300 and 150 ppm as CaCO₃). However, 1% fatty acid provides better foam control in hard water as well as in soft water

The water soluble polar, organic solvents used in the present all purpose cleaning compositions are nonvolatile (high boiling point), and may be described generally as a C₁-C₄ alkyl ether of a compound selected from the group consisting of monoethylene glycol, diethylene glycol, and mono-, or di- or tri-propylene glycol. The methyl ether of mono-, di-, or tri-propylene glycol conforms to the formula:

CH₃ (OCHCH₂)_nOH

25

50

20

wherein in has a value of 1-3. The mono- propylene glycol methyl either has an invalue of 1. The dipropylene glycol methyl either has an invalue of 2. The tripropylene glycol methyl either has an invalue of 3. Specific examples of the water soluble organic solvents include the following propylene glycol either derivatives: mono-, di-, and tripropylene glycol methyl either, mono-, di-, and tripropylene glycol butyl either. The eithylene glycol either derivatives include mono- and diethylene glycol butyl either. The solvent is optimized to obtain a stable product using a minimal level, preferably 5-15% by weight of the composition. The solvent is also selected based on its odour which is easily covered by APC fragrance and to be compatible with the selected fragrance ingredient. Diethylene glycol monomethyl and monobutyl either, and tripropylene and dipropylene glycol monomethyl either have odours easily covered with the perfume ingredient.

The level of fragrance is also optimized to achieve a cleaner with high cosmetic impact both as is, in the ready to use form, and when diluted preferably in an amount about 2-5% by weight of the composition. The perturne or tragrance, which is a nonwater miscribte material, is readily solubilised by the water soluble organic solvent in the aqueous vehicle, yielding a clear single phase. Suitable types of fragrances are floral, pine and lemon.

The final essential component of the present novel composition is water, ether hard or soft water or descrized water. This component represents the balance of said compositions reduced by any optional ingredients which may be present.

The all purpose cleaning compositions of this invention also may contain minor amounts of conventional additional components in order to impart any desired characteristic, which are compatible with the essential ingredients and do not adversely effect the stability and cleaning performance of the liquid composition. Suitable additives include colouring agents, or dyes, preservatives such as formaldehyde (Formalin) and Kathon 886 molecular weight, hydrotropes such as sodium cumene sulfonate and antiseptic agents. These additives constitute a maximum of 5% and preferably a maximum of 3.2% by weight of the composition.

In one form of the invention the amonic surfactant is 10% sodium paraffin sulfonate, and the composition further comprises 1.5 to 3.75% of magnesium sulface heptahydrate.

In another form of the invention the anionic surfactant is 10% sodium paraffin sulphonate, and the composition further comprises 2.5 to 3.75% of magnesium sulfate heptahydrate and 2.0 to 3.2% sodium currene sulfonate hydrotrope salt.

In the concentrated or diluted form, the all purpose liquid cleaners are clear and homogeneous and exhibit stability at reduced and increased temperatures. More specifically, the compositions are stable at 4°C, room temperature, 35°C and 43°C. Such compositions exhibit a pH in the range of about 8.0 to 7.0, preferably 6.1-6.8. Product stability is also a function of the pH of the finished product. The liquids are

readily pourable and free flowing from any suitable container such as metal, plastic, or glass bottles, bags, cans or drums.

Typically, the inventive compositions are manufactured in an agitated mixing vessel optionally equipped with a heating and/or cooling jacket. Generally, the temperature of the mixture will be maintained in the range of 15°C to 38°C, during manufacture. While the order in which the individual ingredients are added can be varied, best results are obtained by adding the anionic surfactant to the water with mild agitation. After complete dissolution of the anionic surfactant the nonlonic surfactant(s) is added. Next, the organic nonaqueous solvent is added with moderate agitation to form a homogeneous mixture. Thereafter, the perfume is added with moderate agitation until dissolved. Usually, the optional ingredients such as colour, preservative, and magnesium sulfate salt are the final ingredients added with agitation to form a homogeneous all-purpose clear liquid cleaning composition. The final product both in concentrated and diluted form has long term stability and exhibits improved shine, improved foam control and cleaning performance, mildness to hands and safety to cleaned surfaces, as well as cosmetic attributes including clarity, low viscosity and pleasant fragrance.

The following examples illustrate liquid cleaning compositions of the described invention. Unless otherwise specified, all percentages are by weight. The exemplified compositions are illustrative only and do not limit the scope of the invention.

Examples 1 and 2

20

30

35

40

46

66

Concentrated APC Ingregients Ex. 1 % Ex. 2 % Bal. Bal. Sodium parattin sulfonate 10 10 C9-C11 alcohol EO 5:1 5 5 C13-C15 alcohol EQ 7:1 PQ 4:1 2.5 2.5 Distilled coconut oil fatty acids 1.25 1.25 Dipropylene glycol n butyl ether 7.0 Diethylene glycol butyl ether 12.5 Perfume (Twinkle" ex Firmenich) 3.5 Pertume 24 Dye Q.S. Q.S. Adjust pH to 6.5 +/- 0.2 Optional ingredient . preservative

: this perfume contains 10% terpenes

The compositions of Examples 1 and 2 are clear homogeneous liquids, stable at temperatures of 4°C to 43°C, and have improved cleaning and shine performance in soft and hard water.

Examples 3-6

| Concentrated APC Compositions | | | | | | |
|---|---------------|------------|------------|------------|--|--|
| Ingredients | Ex. 3 % | Ex. 4 % | Ex. 5 % | Ex 6 % | | |
| Water | Bal. | Baj. | Bai. | Bal. | | |
| Na paraffin sulfonate | 16 | 16 | 16 | 16 | | |
| Na parattin sultonate without phosphate | - | - | - | - | | |
| C9-C11 alcohol EO 5.1 | 8 | 8 | 8 | 8 | | |
| C13-C15 alcohol EO 7:1 PO 4:1 | 4 | 4 | 4 | 4 | | |
| Coco tarry acids | 2 | 2 | 2 | 2 | | |
| DEGMBE ¹ | 15 | 15 | 15 | 15 | | |
| Mg8O4 7H20 | 3 | 25 | 2 | 1.5 | | |
| Perfume Nicky II or Nicky vers I pH = 65 + /- 0.3 | 2.0 | 2.0 | 2.0 | 2.0 | | |
| Stability: | 2 phas. 43 °C | dep. 43 °C | dep. 43 °C | dep. 43 °C | | |
| | deposit | ' | | l ' | | |
| | 43 · C | | | | | |
| | 35 °C | | l | į | | |

Examples 7-9

| 2 | þ | |
|---|---|--|
| | | |

30

35

| | Concentrated APC Compositions | | | | | | |
|---------------------------|--------------------------------------|--------------------------------------|--|--|--|--|--|
| Ex. 7 % | Ex. 8 % | Ex. 9 % | | | | | |
| Bal. 16 8 4 2 | Bal. 16 - 8 4 2 15 | Bal. - 16 8 4 2 15 | | | | | |
| | _ | | | | | | |
| 2.0 K 43 • C | 2.0 | 2.0 OK 43°C | | | | | |
| K | 2.0 43°C | | | | | | |

¹Diethylene glycol monoputyl ether

45

40

Example 7, tree of Mg salts and containing phosphates, an impurity present in some grades of commercial Na paraffin sulfonate, is a clear homogeneous stable liquid composition at room and high temperatures; whereas Exs. 3-8 and 8, containing the magnesium salts in varying amounts (1.5-3%), are not stable due to the reaction of the MgSO_s salt with the phosphate to form the Mg phosphate precipitate.

Ex. 9, containing phosphate-free Na paraffin sulfonate, can contain the MgSO, salt in amounts as high as 3% and yield a clear, homogeneous stable liquid because there is no phosphate present in the composition.

Ex 10 - 16

| APC Formulae Compositions | | | | | | | | |
|---|----------|-----------------|----------|----------|--|--|--|--|
| Ingredients | Ex. 10 % | Ex. 11 % | Ex. 12 % | Ex. 13 % | | | | |
| Water | Bal. | Bai. | Bal | Baj | | | | |
| Na paraffin sulfonate | 10 | 10 | 10 | 10 | | | | |
| C9-C11 alcohol EO 5:1 | 5 | 5 | 5 | 5 | | | | |
| C13-C15 alcohol EQ 7·1 PQ 4·1 | 2.5 | 2.5 | 2.5 | 2.5 | | | | |
| Coco fatty acids | 1 25 | 1 25 | 1 25 | 1.25 | | | | |
| DEGMBE | 12.5 | - | 12.5 | 5.0 | | | | |
| Na cumene suffonate (SCS) | - | 32 | - | 3.2 | | | | |
| MgSO4 7H20 | 3.75 | 3.75 | 2.5 | 1.5 | | | | |
| Formalin | 0.2 | 0.2 | 0.2 | 0.2 | | | | |
| Kajuon 886 MW 13.9% soin (preservative) | - | - | - | - | | | | |
| Perjume | | | | | | | | |
| Nicky II or Nicky vers. I | 2.0 | 20 | 2.0 | 2.0 | | | | |
| Citrosnine pert. | | | - | - | | | | |
| Twinkle | - | | - | - | | | | |
| pH = 65 +/- 0.3 | | | | | | | | |
| Stability . | ОК | 2 ph. at low t* | Oκ | Ok | | | | |

Example 11 is a comparison example it does not contain DEGMBE and as can be seen is unstable at low temperatures forming two phases.

Ex. 14-16

| 30 |
|----|
|----|

35

40

45

50

65

25

| APC Formulae Compositions | | | | | | |
|--|----------|----------|--------------|--|--|--|
| Ingredients | Ex. 14 % | Ex. 15 % | Ex. 16 % | | | |
| Water | Bai. | Bal | Bal | | | |
| Na parattin sultonate | 10 | 10 | 10 | | | |
| C9-C11 alcohol EQ 5·1 | 5 | 5 | • | | | |
| C13-C15 alcohol EO 7:1 PO 4:1 | 2.5 | 2.5 | 2.5 | | | |
| Coco famy acids | 1 25 | 1.25 | 1.25 | | | |
| DEGMBE | 12.5 | 8.0 | 125 | | | |
| Na cumene autionate (SCS) | • | 20 | ĺ , | | | |
| MgSO4 7H20 | - | - | | | | |
| Formalin | 0.2 | 0.2 | .32->.8 | | | |
| | | | 0 | | | |
| Kathon 886 MW 13.9% soln. (preservative) | - | - | 0.011> 0.040 | | | |
| Pertume | | | | | | |
| Nicky II or Nicky vers. I | 0 | 3.2 | | | | |
| Citroshine perf. | - , | - | 2.4 | | | |
| Twinkla | 3.5 | • | | | | |
| pH = 6.5 +/-03 | | | | | | |
| Stability: | OK | ΟK | O) | | | |

The compositions of Examples 10 and 12 containing a considerably lesser amount of Na paraffin sulfonate (10%) than the 16% in Example 3 provide a low amount of the phosphate impurity, insufficient to react with the MgSO, ingredient to form a Mg phosphate precipitate. Clear homogeneous stable liquid

6102786548

cleaners at low and high temperatures are formed having improved cleaning and shine properties.

Example 11 containing no organic solvent is an unstable composition.

In Example 13, the addition of the hydrotope, Na cumene sulfonate, in the presence of MgS_{0+} and decreased DEGMBE solvent content, produces a clear, homogeneous stable liquid cleaner having improved cleaning performance.

Examples 14 and 16, free of the optional ingredients MgSO+ sait and the hydrotrope sait, produce clear, homogeneous stable liquid APC cleaner having improved cleaning and foam control properties.

Example 15, containing the optional ingredient, SCS hydrotrope salt, also produces a clear, homogeneous stable liquid cleaner having improved cleaning and shine properties.

Ex. 17 - 20

10

75

20

25

30

35

40

45

| APC Formulae COmpositions | | | | | |
|-------------------------------|----------|----------|----------|----------|--|
| Ingredients | Ex. 17 % | Ex. 18 % | Ex. 19 % | Ex. 20 % | |
| Water | Bal. | Bal. | Bal. | Bat. | |
| Na paraffin sulfonate | 10 | 10 | 10 | 10 | |
| C9-C11 alcohol EO 51 | 5 | 5 | 5 | 5 | |
| C13-C15 alcohol EO 7:1 PO 4:1 | 2.5 | 2.5 | 2.5 | 2.5 | |
| Coco fatty acids | 1.25 | 1.25 | 1.25 | 1.25 | |
| DPGMBE ¹ | 7 | - 1 | | | |
| DPGME ^z | - | 8 | - ' | | |
| PGME ³ | - 1 | | 10 | | |
| TPGME* | | - / | - 1 | 9 | |
| EtOH ³ | - ! | | - ! | | |
| IPA ⁶ | - | - 1 | _ | - | |
| PGMBE ⁷ | - 1 | | - ! | | |
| Citroshine | 2.4 | 2.4 | 2.4 | 2.4 | |
| pH = 6.5 +/-0.2 | į | , | į | | |
| Stability | Ок | OK | 0ĸ | OK | |

Ex. 21 - 23

| 5 | |
|-------------|--|
| 10 | |
| 15 | |
| \$ D | |

| APC Formulae Compositions | | | | | | | |
|-------------------------------------|------|------|------|--|--|--|--|
| Ingredients Ex. 21 % Ex. 22 % Ex. 2 | | | | | | | |
| Water | Вац. | Baj. | 8al. | | | | |
| Na paraftin sulfonate | 30 | 10 | 10 | | | | |
| C9-C11 alcohol EO 5.1 | 5 | 5 | 5 | | | | |
| C13-C15 alcohol EO 7:1 PO 4:1 | 2.5 | 2.5 | 2.5 | | | | |
| Coco fatty acids | 1.25 | 1.25 | 1 25 | | | | |
| DPGMBE ¹ | - | - | - | | | | |
| DPGME ² | - | - | | | | | |
| PGME ³ | i | | | | | | |
| TPGME+ | - | - | - | | | | |
| EtOH3 | 10 | - | - | | | | |
| IPA ⁶ | - | 8 | - | | | | |
| PGMBE ⁷ | - | - | 6 | | | | |
| Citroshine | 2.4 | 2.4 | 2.4 | | | | |
| pH = 6.5 + -0.2 | | | | | | | |
| Stability | QK | OK | OK | | | | |

- * Dipropylene glycol monobutyl etner
- ² Dipropylene glycol methyl ether
- 3 Propylene glycol methyl ether
- Tripropylene glycol methyl ether
- 5 Ethanol
- 6 isopropyi alcohol
- Propylene glycol monoputyl etner

30

25

The compositions of Examples 17 - 23 are all clear, homogeneous stable liquids having improved cleaning and shine properties. However, Examples 21 and 22, containing ethanol and isopropyl alcohol, have lower boiling and tlash points which may preclude manufacture or use of these compositions at higher temperatures. These are provided as companion examples.

Examples 24-28

20-Jul-04 11:48

| δ | APC FORMULAE COMPOSITIONS | | | | | |
|----|-------------------------------|----------|---------------|----------|----------|----------|
| Ī | Ingredients | Ex. 24 % | Ex. 25 % | Ex. 26 % | Ex. 27 % | Ex. 28 % |
| | Water | Вај. | Вај. | Вal. | Bal. | Baj. |
| | Na paraffin Sulfonate | 10 | 10 | 10 | 10 | 10 |
| 10 | C9-C11 alcohol EO 5:1 | 5 | 5 | 5 | 5 | 5 |
| 70 | C13-C15 alcohol EQ 7:1 PQ 4:1 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 |
| | Coco tany acids | 1.25 | 1.25 | 1.25 | 1.25 | 1.25 |
| | DPGME | 10 | 10 | 10 | 10 | _ |
| | TPGME | - | - | - | - | 10 |
| | PGME | - | - | - | - | - |
| 75 | Citroshine parf. | 2.4 | - | - | - | 2.4 |
| | GM 372/C perf. | - 1 | 52 | - | - | - |
| | Citrolime perf | - | - | 3.2 | - | - |
| | GM 639 perfume | - | - | - | 2.0 | |
| | Formalin | 0.8 | 8.0 | 0.8 | 0.8 | 0.8 |
| 20 | Dye | QS | QS | as | QS | QS |
| | pH = 6.5 +/- 0.3 | | _ | | | |
| | Stability | Оĸ | QΚ | OK | OK | OK |

Examples 29-33

| 50 | APC FORMULAE COMPOSITIONS | | | | | | |
|----|-------------------------------|---------|---------|---------|---------|---------|--|
| | Ingredients | Ex.29 % | Ex.30 % | Ex.31 % | Ex.32 % | Ex.33 % | |
| | Water | Bai | Bai | Bal | Bai | Bai | |
| | Na paratfin Sulfonate | 10 | 10 | 10 | 10 | 10 | |
| or | C9-C11 alcohol EO 5.1 | 5 | 5 | 5 | 5 | 5 | |
| 35 | C13-C15 alcohol EO 7:1 PO 4.1 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | |
| | Coco fatty acids | 1.25 | 1.25 | 1.25 | 1 25 | 1 25 | |
| | DPGME | . ! | - | - | - | • | |
| | TPGME | 10 | 10 | • | - | - | |
| | PGME | - ' | - | 12 | 12 | 12 | |
| 40 | Citrostrine pert. | - 1 | - | 2.4 | - | - | |
| | GM 372/C perf. | 5.2 | - | - | 5.2 | - | |
| | Citrolime pert. | - 1 | 3.2 | - | - | 32 | |
| | GM 639 perfume | - 1 | • | • | - | • | |
| | Formalin | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | |
| 46 | Оув | QS | QS | QS | QS | QS | |
| | pH = 6.5 +/- 0.3 | | | | | | |
| | Stability | OK | οĸ | Оĸ | OK | OK | |

The composition of Examples 24-33, containing a variety of perfumes in amounts of 2.4 to 5.2% by weight, are clear, homogeneous stable liquid cleaners having improved cleaning and shine performance.

Examples 34 - 36

| 5 | APC Compositions | | | | |
|----|--|---------|----------|----------|--|
| | Ingredients | Ex.34 % | Ex. 35 % | Ex. 36 % | |
| | Distilled Coconut Oil Fatty Acids | 1.25 | 1.00 | 1.50 | |
| | 38% NA20 Caustic Soda | Ċ\$ | | | |
| 10 | C9-11 Alcohol EQ 5.1 | 5.00 | 4 00 | 6.00 | |
| 70 | C14-17 Paraffin Na Sulfonate | 10.00 | 8.00 | 12.00 | |
| | C13-15 Faπy Alcohol EO 7:1/ PO 4:1 | 2.50 | 2.00 | 3 00 | |
| | Dye | 0.005 | 0.004 | 0.006 | |
| | Kathon 886 MW 13 9% Soln. (preservative) | 0.038 | 0.036 | 0.036 | |
| 16 | Formalin (alternative to Kathon) | 0.2 | 1 | | |
| 10 | Citroshine Perfume | 2.40 | 1.92 | 2.88 | |
| | Dipropylene Glycol Methylether | 10.00 | 5.00 | 15.00 | |
| | Softened Water | BALANCI | E | | |
| • | pH = 8.10 - 6.50 | | | | |
| 20 | Total | 100% | 100% | 100% | |

The compositions of Examples 34 - 36 are clear homogeneous stable concentrated liquids having improved cleaning and shine performance and toam control, dilutable 4:1 with soft, medium, or hard water.

Claims

25

35

- 1. A stable clear homogeneous concentrated liquid all purpose hard surface cleaning composition tree of builder salts, comprising, by weight, 14-28% of a water soluble dual detergent system consisting essentially of a mixture of anionic and nonionic surfactants, there being 8-16% of the anionic surfactant and 6 to 12% of the nonionic surfactant, 5-15% of a water soluble, polar organic solvent selected from the group consisting of C₁-C₊ alkyl ethers of ethylene or diethylene glycol or mono-, di- or tripropylene glycol, 0.5-2% of a fatty acid foam Control agent, and 1.9 to 5.5% of a fragrance compatible with the organic solvent in an aqueous medium and having a pH of about 6-7
- 2. A composition as claimed in claim 1 wherein the dual detergent system comprises 8-16% of an anionic surfactant selected from the group consisting of a water soluble alkali metal sait of a C₈₋₁₈ alkyl sulfonate, paraffin sulfonate, or a C₈₋₁₆ alkyl benzene sulfonate and 8-12% of water soluble nonionic surfactant selected from the group consisting of ethoxylated fatty alcohol, ethoxylated/ propoxylated fatty alcohol and an alkyl polyglycoside.
- A composition as claimed in claim 1 or claim 2 wherein the weight ratio of anionic surfactant to nonionic surfactant is in the range of 1.25:1 to 1.33:1
- 45 4. A composition as claimed in anyone of Claims 1 to 3 which is diluted with water to form a stable diluted all purpose liquid cleaner composition
 - 5. A composition as claimed in Claim 4 which is diluted four times by volume with water prior to use.
- 50 6. A composition as claimed in anyone of Claims 1 to 5 wherein the anionic surfactant is a phosphate-free sodium paraffin sulfonate
 - A composition as claimed in anyone of Claims 1 to 6 turther comprising a water soluble magnesium salt in an amount of 1 5-4% by weight
 - 8. A composition as claimed in any one of Claims 1 to 7 wherein the water soluble nonionic surfactant is a mixture of nonionic surfactants selected from the group consisting of ethoxylated tatty alcohol, ethoxylated/propoxylated tatty alcohol and an alkyl polyglycoside.

- A composition as claimed in anyone of claims 1 to 8 wherein the nonionic surfactant is a mixture of an ethoxylated fatty alcohol and an ethoxylated/propoxylated tatty alcohol.
- 10. A composition as claimed in any one of claims 1 to 9 wherein the nonionic surfactant is a mixuture of an ethoxylated C₂-C₁₁ alcohol with 5 ethoxy groups per alcohol molecule, and an ethoxylated/propoxylated C₁₃-C₁₅ alcohol with 7 ethoxy groups and 4 propoxy groups per alcohol molecule, in a 2:1 weight ratio.
- 11. A composition as claimed in any one of claims 1 to 10 wherein the toam control agent is coconut oil fatty acids.
 - 12. A composition as claimed in any one of claims 1 to 11 wherein the water soluble polar organic solvent is selected from the group consisting of diethylene glycol monomethyl ether, diethylene glycol monomethyl ether, tripropylene glycol monomethyl ether and dipropylene glycol monomethyl ether.
 - 13. A composition as claimed in any one of claims it to 11 wherein the water soluble organic solvent is dipropylene glycol in butyl ether.
- 14. A composition as claimed in claim 12 wherein the water soluble organic solvent is diethylene glycol mono butyl ether.
 - 15. A composition as claimed in claim 12 wherein the water soluble organic solvent is dipropylene glycol monometryl ether.
- 25 16. A composition as claimed in any one of claims 1 to 15 wherein the anionic surfectant is 10% sodium parattin sulfonate, and which further comprises 1.5 to 3.75% of magnesium sulfate heptahydrate
 - 17. A composition as claimed in any one of claims 1 to 18 wherein the anionic surfactant is 10% sodium paraffin sulfonate, and which further comprises 2.5 to 3.75% of magnesium sulfate heptahydrate and 2.0 to 3.2% sodium cumene sulfonate hydrotrope salt.
 - 18. A composition as claimed in any one of claims 11 to 17 comprising 1-2% coconut tarry acids and having a pH of 6.1 to 8.8.

35 Patentanspruche

40

- 1. Stabile, klare, homogene, konzentrierte, flüssige Allzweckreinigungszusammensetzung für harte Oberflächen, die frei von Buildersalzen ist und bezogen auf das Gewicht 14 bis 28 % eines in Wasser löstlichen dualen Reinigungsmittelsystems, das im wesentlichen aus einer Mischung aus anjonischen und nichtionischen Tensiden besteht, wobei 8 bis 16 % des anionischen Tenside und 6 bis 12 % des nichtionischen Tenside vorhänden sind, 5 bis 15 % eines in Wasser löstlichen, polaren, organischen Lösungsmittels ausgewählt aus der Gruppe bestehend aus C1-C4-Alkylethern von Ethylen- oder Diethylenglykol oder Mono-. Di- oder Tripropylenglykol, 0,5 bis 2 % eines Fettsäureschaumkontrollmittels und 1,9 bis 5,5 % eines Duitstofts umfaßt, der mit dem organischen Lösungsmittel in einem wäßingen Medium verträglich ist, und einen pH-Wert von erwa 6 bis 7 aufweist.
- 2. Zusammensetzung nach Anspruch 1, bei der das duale Reinigungsmittelsystem 8 bis 16 % eines anionischen Tensids ausgewählt aus der Gruppe bestehend aus in Wasser löstichem Alkalimetalisatz von C₈₋₁₈-Alkylsulfonat, Paratfinsulfonat oder C₈₋₁₆-Alkylbenzolsulfonat und 6 bis 12 % eines in Wasser löstichen nichtionischen Tensids ausgewählt aus der Gruppe bestehend aus ethoxyliertem Fettalkohol, ethoxyliertem/propoxyliertem Fettalkohol und Alkylpolyglykosid umfaßt.
 - S. Zusammensetzung nach Anspruch 1 oder Anspruch 2, bei der das Gewichtsverh\u00e4tnus von anionischem Tensid zu nichtionischem Tensid im Bereich von 1,25 : 1 bis 1,33 : 1 liegt.
 - Zusammensetzung nach einem der Ansprüche 1 bis 3, die mit Wasser verdünnt ist, um eine stabile, verdünnte, flüssige Allzweckreinigerzusammensetzung zu bilden.

- Zusammensetzung nach Anspruch 4, die vor der Anwendung mit dem vierfachen Volumen Wasser verdünnt worden ist.
- 8. Zusammensetzung nach einem der Ansprüche 1 bis 5, bei der das anionische Tensid ein phosphattreies Natriumparaffinsulfonat ist.
 - Zusammensetzung nach einem der Ansprüche 1 bis 6, die ferner ein in Wasser löstiches Magnesiumsalz in einer Menge von 1,5 bis 4 Gewi-% umfaßt.
- 70 8. Zusammensetzung nach einem der Ansprüche 1 bis 7, bei der das in Wasser ibsliche, nichtionische Tensid eine Mischung aus nichtionischen Tensiden ausgewählt aus der Gruppe bestehend aus ethoxylleitem Fettalkohol, ethoxylleitem/propoxylleitem Fettalkohol und Alkylpolyglykosid ist.
- Zusammensetzung nach einem der Anspruche 1 bis 8. bei der das nichtionische Tensid eine Mischung aus ethoxyliertem Fettalkohol und ethoxyliertem/propoxyliertem Fettalkohol ist.
 - 10. Zusammensetzung nach einem der Anspruche 1 bis 9, bei der das nichtionische Tensid eine Mischung aus etnoxylierem C₂-C₁₁-Alkohol mit 5 Ethoxygruppen pro Alkoholmolekül und ethoxyliertem/propoxyliertem C₁₂-C₁₅-Alkohol mit 7 Ethoxygruppen und 4 Propoxygruppen pro Alkoholmolekül in einem Gewichtsverhältnis von 2 : 1 ist.
 - Zusammensetzung nach einem der Ansprüche 1 bis 10, bei der das Schaumkontrollmittel aus Kokosnußölfettsäuren besteht.
- 26 12. Zusammensetzung nach einem der Ansprüche 1 bis 11, bei der das in Wasser löstliche, polare, organische Lösungsmittel ausgewählt ist aus der Gruppe bestehend aus Diethylenglykolmonomethylether, Diethylenglykolmonobutylether, Tripropylenglykolmonomethylether und Dipropylenglykolmonomethylether.
- 30 13. Zusammensetzung nach einem der Ansprüche 1 bis 11, bei der das in Wasser tostiche organische Lösungsmittet Dipropytengtykol-n-butytether ist.
 - Zusammensetzung nach Anspruch 12. bei der das in Wasser lösliche organische Lösungsmittel Diethylenglykolmonöbutylether ist.
 - 15. Zusammensetzung nach Anspruch 12, bei der das in Wasser tösliche organische Lösungsmittel Dipropylenglykolmonomethylether ist
- Zusammensetzung nach einem der Ansprüche 1 bis 15, bei der das anionische Tensid 10 %
 Natriumparaffinsuffonat ist und die femer 1,5 bis 3,75 % Magnesiumsuffat-Hepta-hydrat umfaßt.
 - Zusammensetzung nach einem der Ansprüche 1 bis 16, bei der das anionische Tensid 10 % Natriumparaffinsulfonat ist und die ferner 2,5 bis 3,75 % Magnesiumsultar-Heptahydrat und 2,0 bis 3,2 % Natnumcumolsulfonat-Hydrotropsalz umfaßt.
 - 18. Zusammensetzung nach einem der Ansprüche 11 bis 17, die 1 bis 2 % Kokosnußtettsäuren umtaßt und einen pH-Wert von 6,1 bis 6,8 aufweist.

Revendications

35

45

50

55

1. Composition netroyante tous usages pour le nettoyage de surfaces dures, liquide, concentrée, homogène, limpide et stable, exempte de sels adjuvants de détergence, comprenant, en poids, 14 à 28% d'un système détergent double hydrosoluble consistant essentiellement en un mélange de tensioactits anioniques et non ioniques, le tensioactif anionique étant présent pour 8 à 16% et le tensioactif non ionique étant présent pour 6 à 12%, 5 à 15% d'un solvant organique polaire hydrosoluble choisi parmi les éthers alkyl(C1--)iques d'éthylène ou le diéthylène glycol ou le mono-, le di- ou le tripropylène glycol, 0,5 à 2% d'un acide gras en tant qu'agent de contrôle du moussage, et 1,9 à 5,5% d'un parfum compatible avec le solvant organique, dans un milieu aqueux, et ayant un pH d'énviron 6-7.

w

40

EP 0 347 110 B1

- 2. Composition selon la revendication 1, dans laquelle le système détergent double comprend un tensioactif anionique pour 8 à 16%, choisi paimi un sel de métal alcalin hydrosoluble d'un sulfonate d'alkyle en C₆₋₁₆, d'un sulfonate de paraffine, ou d'un sulfonate d'alkyle benzène en C₆₋₁₆, et un tensioactif non ionique hydrosoluble pour 6 à 12%, choisi parmi un alcool gras éthoxylé, un alcool éthoxylé/propoxylé et un alkyl polyglycoside.
- Composition selon la revendication 1 ou la revendication 2, dans laquelle le rapport pondéral du tensioactif anionique au tensioactif non ionique est dans la gamme de 1,25:1 à 1,33:1
- 78 4. Composition selon l'une quelconque des revendications 1 à 3, qui est dijuée avec de l'eau pour former une composition de néttoyant liquide tous usages dijuée stable.
 - 5. Composition selon la revendication 4, qui est difuée avec 4 tois son volume d'eau avant usage.
- 6. Composition selon l'une quelconque des revendications 1 à 5, dans laquelle le tensioactif anionique est un paraffine sulfonate de sodium exempt de phosphate.
 - Composition selon l'une quelconque des revendications 1 à 6, comprenant en outre un sel de magnésium hydrosoluble à raison de 1,5 à 4% en poids.
 - 8. Composition selon l'une quelconque des revendications 1 à 7, dans laquelle le tensioactif non ionique hydrosoluble est un mélange de tensioactifs non ioniques choisis parmi un alcool gras éthoxylé, un alcool gras éthoxylé/propoxylé et un alkyl polyglycoside.
- 25 9. Composition selon l'une quelconque des revendications 1 à 8, dans laquelle le tensioactif non ionique est un mélange d'un acide gras éthoxylé et d'un acide gras éthoxylé/propoxylé.
 - 10. Composition selon l'une quelconque des revendications 1 à 9, dans laquelle le tensioactif non ionique est un mélange d'un alcool en C₂-C₁₁ éthoxylé avec cinq groupes éthoxy par moiécule d'alcool et d'un alcool en C₁₂-C₁₅ éthoxylé/propoxylé avec sept groupes éthoxy et quatre groupes propoxy par moiécule d'alcool, dans un rapport pondéral de 2:1.
 - 11. Composițion selon l'une quelconque des revendications 1 à 10, dans laquelle l'agent de contrôle du moussage est composé d'acides gras de coprah.
 - 12. Composition selon l'une quelconque des revendications 1 à 11, dans taquelle le solvant organique polaire hydrosoluble est choisi parmi l'éther monométhylique de diéthylène glycol, l'éther monométhylique de tripropylèneglycol et l'éther monométhylique de dipropylène glycol.
 - 13. Composition selon l'une quelconque des revendications 1 à 11, dans taquelle le solvant organique hydrosoluble est l'éther n-butylique de dipropylène glycol.
- 14. Composition selon la revendication 12, dans laquelle le solvant organique hydrosoluble est l'éther monobutylique de diéthylène glycol.
 - 15. Composition selon la revendication 12, dans laquelle le solvant organique hydrosoluble est l'éther monométhylique de dipropylène glycol.
- 50 16. Composition selon l'une quelconque des revendications 1 à 15, dans laquelle le tensioactif anionique est du paraffine sulfonate de sodium pour 10% de la composition, et qui comprend en outre 1,5 à 3,75% de sulfate de magnésium heptahydraté.
- 17. Composition selon l'une quelconque des revendications 1 à 16, dans laquelle le tensjoactif anionique est du parafilhe sultonate de sodium pour 10% de la composition, et qui comprend en outre 2,5 à 3,75% de sulfate de magnésium heptanydraté, et 2,0 à 3,2% de sel hydrotope de cumène sulfonate de sodium.

EP 0 347 110 B1

18. Composition selon l'une quelconque des revendications 11 à 17, comprenant 1 à 2% d'acides gras de coprah et ayant un pH de 6,1 à 6,8.